ELSEVIER

Volume 264 Numbers 1–2, 9 January 1998

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Magnetic ordering of DyCoSn L1
A. Szytuła, B. Penc (Kraków, Poland), V. Ivanov (Moscow, Russia)

Magnetic ordering of DyCoSn L5
A. Szytuła, B. Penc (Kraków, Poland), V. Ivanov (Moscow, Russia)

On the structure of the Al_4Cr ε phase and its relation to the Al-Cr-Ni κ phase L9
X.Z. Li (Sendai, Japan), H.X. Sui, K.H. Kuo (Beijing, P.R. China), K. Sugiyama, K. Hiraga (Sendai, Japan)

New ternary compounds $SmCoSi_2$ and $Tm_2Mn_3Si_5$ L13
A.V. Morozkin, Yu.D. Seropegin, V.K. Portnoy, I.A. Sviridov, A.V. Leonov (Moscow, Russia)

Physics

The crystal structure of Nb_3AuH_x 1
V.E. Antonov, E.L. Bokhenkov (Moscow, Russia), B. Dorner (Grenoble, France), V.K. Fedotov (Moscow, Russia), G. Grosse (Garching, Germany), A.I. Latynin (Moscow, Russia), F.E. Wagner, R. Wordel (Garching, Germany)

Magnetotransport properties of the $CeCu_2Sb_2$ and $CeAg_2Sb_2$ compounds 8
A. Guzik (Katowice, Poland), J. Pierre (Grenoble, France)

Co–Sn intermetallic phases and their formation at the Co/Sn interface studied with perturbed angular correlation (PAC) method 14
P. Wodniecki, B. Wodniecka, A. Kulińska, A.Z. Hrynkiewicz (Cracow, Poland)

Structure and magnetic properties of $Dy_2Co_{17-x}Ga_x$ (x=0–6) compounds 19
S.-y. Zhang, B.-g. Shen, B. Liang, Z.-h. Cheng, J.-x. Zhang, H.-w. Zhang, J.-g. Zhao, W.-s. Zhan (Beijing, P.R. China)

Structural, electrical, magnetic and low-temperature specific heat studies of $PrPb_2$ 24
R. Yamauchi, Y. Hattori, A. Fujita, H. Saito, K. Fukamichi, A. Uesawa, T. Suzuki (Sendai, Japan)

Electronic structure, cohesive properties and phase stability in Ni_3V, Pd_3V, and Pt_3V compounds 31
O. Lebacq, A. Pasturel (Grenoble, France), D.N. Manh (Oxford, UK), A. Finel, R. Caudron (Chatillon, France)

Magnetic behaviour of RCuAl compounds 38
P. Javorský, L. Havela, V. Sechovský (Prague, Czech Republic), H. Michor (Wien, Austria), K. Jurek (Prague, Czech Republic)

^{155}Gd Mössbauer spectroscopy and magnetic properties of several ternary Gd compounds 43
F.M. Mulder, R.C. Thiel (Leiden, The Netherlands), L.D. Tung, J.J.M. Franse, K.H.J. Buschow (Amsterdam, The Netherlands)

Interactions between impurity atoms of 3d transition metals dissolved in iron 50
J. Chojcan (Wrocław, Poland)

Effects of volume expansion and electron correlation in some $R(Fe,M)_{12}$ compounds (M=Nb, Ti, V) and their nitrides 54
J. Hu, L. Mei, K. Luan, H. Li (Shandong, P.R. China), B. Hu, Z. Wang (Beijing, P.R. China)

Magnetic properties of RWC_2 compounds (R=Y, Gd, Tb, Dy, Ho, Er) 59
K. Makaratji, Ch.D. Routsi, J.K. Yakinthos (Xanthi, Greece), D. Schmitt (Grenoble, France)

Elsevier Science S.A.

NMR Studies of hydrogen diffusion in $ZrBe_2H_{1.4}$ 63
F. Kimmerle, G. Majer, U. Kaess (Stuttgart, Germany), A.J. Maeland (Kjeller, Norway), M.S. Conradi (St. Louis, MO, USA), A.F. McDowell (Galesburg, IL, USA)

A magnetic study of $Mg_{1-x}Ca_xMn_6Sn_6$ compounds ($0.0 \leq x \leq 0.7$). First example of ferromagnetic $HfFe_6Ge_6$-type structure compounds 71
T. Mazet, G. Venturini, R. Welter, B. Malaman (Vandoeuvre les Nancy, France)

Magnetic properties of $Tb_2Co_{17-x}Ga_x$ compounds studied by magnetic measurements and neutron diffraction 76
O. Moze, L. Giovanelli (Parma, Italy), W. Kockelmann (Chilton, UK), C.H. de Groot, F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

Phases around the 1:1:1 composition in the Yb–Au–Ge and Ca–Au–Ge systems 82
F. Merlo, M. Pani, F. Canepa, M.L. Fornasini (Genova, Italy)

Magnetic ordering and phase transition in $DyNiSi_2$. A neutron study 89
P. Schobinger-Papamantellos (Zürich, Switzerland), C. Ritter (Grenoble, France), K.H.J. Buschow (Amsterdam, The Netherlands)

Chemistry

Preparation and characterization of solid state lanthanum-titanium citrate complexes 95
M.M. Milanova, M.G. Arnaudov, M.M. Getsova, D.S. Todorovsky (Sofia, Bulgaria)

Electrochemical performance of metal hydride negative electrode modified with bismuth oxide 104
S.A. Cheng, Y.Q. Lei, Y.J. Leng, Q.D. Wang (Hangzhou, P.R. China)

Synthesis, properties and crystal structures of α-$Ca_3(BN_2)_2$ and $Ca_{9+x}(BN_2, CBN)_6$—two compounds with BN_2^{3-} and CBN^{4-} anions 107
M. Wörle (Zürich, Switzerland), H. Meyer zu Altenschildesche (Vancouver, Canada), R. Nesper (Zürich, Switzerland)

^{57}Fe Mössbauer effect of aventurine copper glass 115
E. Greiner-Wronowa (Kraków, Poland), J. Suwalski (Otwock-Świerk, Poland)

Crystal structures and magnetic properties of $Ba_{1-y}Sr_yPrO_3$ ($0 \leq y \leq 1.0$) 119
M. Itoh, Y. Hinatsu (Sapporo, Japan)

An electron diffraction study of modulated $Ni_{1+x}Ge$ B8 type phases 125
A.-K. Larsson, R. Withers (Canberra, Australia)

Phase equilibria and the inducement of superconductivity in $(Ce_{1-y}Cd_y)Sr_2(Y_{1-x}Ca_x)Cu_2O_{7-\delta}$ 133
T.P. Beales (Wrexham, UK), J.M. Parberry (Cambridge, UK)

Influence of transition metal oxides on sol-gel mullite crystallization 136
J. Parmentier, S. Vilminot (Strasbourg, France)

Spinel type ternary sulfides $FeCr_2S_4$ and $MnCr_2S_4$ 142
My.A. Boutbila (Amiens, France and Marrakech, Maroc), J. Rasneur (Amiens, France), M. El Aatmani (Marrakech, Maroc)

Comparative study of the mutual separation characteristics for neighboring rare earth elements from quaternary systems $LaCl_3$–$CeCl_3$–$PrCl_3$–$NdCl_3$ and La_2O_3–CeO_2–Pr_6O_{11}–Nd_2O_3 via vapor complexes $LnAl_nCl_{3n+3}$ 147
Z.-C. Wang, J. Yu, Y.-L. Yu, Y.-H. Sun (Liaoning, P.R. China)

Recovery of vanadium, nickel and magnesium from a fly ash of bitumen-in-water emulsion by chlorination and chemical transport 151
K. Murase, K.-i. Nishikawa, T. Ozaki, K.-i. Machida, G.-y. Adachi, T. Suda (Osaka, Japan)

The characteristics of chemical vapour transport and mutual separation for the scandium, yttrium and lanthanum mediated by the corresponding gaseous rare earth chloride complexes 157
J. Jiang, T. Ozaki, K.-i. Machida, G.-y. Adachi (Osaka, Japan)

Effects of mechanical grinding on the hydrogen storage properties of $LaNi_5$: observation of the intermediate hydride $LaNi_5H_3$ stabilised by CO surface treatment 164
S. Corré (Osaka, Japan and Grenoble, France), D. Fruchart (Grenoble, France), G. Adachi (Osaka, Japan)

Metallurgy

TiAl–TiGa section of the Ti–Al–Ga system 167
N.V. Antonova, L.A. Tretyachenko, T.Ya. Velikanova, P.S. Martsenyuk (Kyiv, Ukraine)

An investigation of the B2 phase between AlRu and AlNi in the Al–Ni–Ru ternary system 173
I.J. Horner (Witwaterstrand and Randburg, South Africa), N. Hall (Witwaterstrand and Newcastle, South Africa), L.A. Cornish, M.J. Witcomb (Witwaterstrand, South Africa), M.B. Cortie, T.D. Boniface (Randburg, South Africa)

Ternary systems of nickel and rhenium with transition metals 180
E.M. Slyusarenko, A.V. Peristyi, E.Yu. Kerimov, M.V. Sofin, D.Yu. Skorbov (Moscow, Russia)

Analysis of the melting temperatures of RTX_2 ($CeNiSi_2$ structure) and RT_2X_2 ($CeGa_2Al_2$ structure) compounds [R= La,Ce,Sm,Er,Tm; T=Fe,Co,Ni; X=Si,Ge] 190
A.V. Morozkin, Yu.D. Seropegin, A.V. Gribanov, I.A. Sviridov, J.M. Kurenbaeva, A.L. Kurenbaev (Moscow, Russia)

Interaction of neodymium and silicon with gold: phase diagram and structural chemistry of ternary compounds 197
P. Salamakha, O. Sologub, O. Zaplatynsky (L'viv, Ukraine), R. Ciach, J. Król (Krakow, Poland)

Phase equilibria in the Cu-rich portion of the Cu–Al binary system 201
X.J. Liu, I. Ohnuma, R. Kainuma, K. Ishida (Sendai, Japan)

Thermodynamic assessment of the La-Ni system 209
Z. Du, D. Wang, W. Zhang (Beijing, P.R. China)

Neutron diffraction investigation of the dhcp and hcp iron hydrides and deuterides 214
V.E. Antonov (Moscow, Russia), K. Cornell (Darmstadt, Germany), V.K. Fedotov, A.I. Kolesnikov, E.G. Ponyatovsky, V.I. Shiryaev (Moscow, Russia), H. Wipf (Darmstadt, Germany)

Thermal expansion of whiskers of Ti(C,N) solid solutions 223
K. Wokulska (Katowice, Poland)

Structural and magnetic properties of mechanically alloyed $Nd_{14}Fe_{76}M_3C_7$ (M=Si, Cu, Al, Co, Ti, Nb, Ga) alloys 228
Y.C. Sui, Z.D. Zhang, W. Liu, Q.F. Xiao, X.G. Zhao, T. Zhao, Y.C. Chuang (Shenyang, P.R. China)

Crystal structure of a quaternary Nd–Ni–Si–B compound-refinement of synchrotron radiation data 232
E. Wu, H. Zhang, S.J. Campbell, S.R. Bulcock (Canberra, Australia)

Refinement of the crystal structure π-$Al_9FeMg_3Si_5$ 236
R. Krendelsberger, P. Rogl, A. Leithe-Jasper (Wien, Austria), C.J. Simensen (Blindern, Norway)

Materials Science

Phase formation and magnetic properties of annealed mechanical alloying Nd-Fe-V-Ti alloys and their nitrides 240
S.L. Tang (Shenyang and Hunan, P.R. China), C.H. Wu, X.M. Jin, B.W. Wang, G.S. Li, B.Z. Ding, Y.C. Chuang (Shenyang, P.R. China)

New silicides for new niobium protective coatings 244
M. Vilasi, M. Francois, R. Podor, J. Steinmetz (Vandoeuvre-les-Nancy, France)

Metastable and stable magnetic phases in as-cast and annealed $Pr_{80}Fe_{15}(B_{1-x}C_x)_5$ alloys ($0.0 \leq x \leq 1.0$) 252
J.L. Sánchez Ll., G. López (La Habana, Cuba), E. Estevez (La Habana, Cuba and Wien, Austria), J. Fidler (Wien, Austria)

Development of nanocrystalline Al–Ti alloy powders by reactive ball milling 258
K.I. Moon, K.S. Lee (Seoul, Korea)

Structure and properties of bulk nano-structured WC–CO alloy by mechanical alloying 267
M.A. Xueming, J.I. Gang, Z. Ling, D. Yuanda (Shanghai, P.R. China)

Stress on a reaction vessel by the swelling of a hydrogen absorbing alloy 271
K. Nasako (Kyoto and Osaka, Japan), Y. Ito (Kyoto, Japan), N. Hiro, M. Osumi (Osaka, Japan)

A Mössbauer investigation of the homogenisation of $Nd_{11.8}Fe_{82.3-x}Nb_xB_{5.9}$ alloys 277
S. Steyaert, J.M. Le Breton (Mont Saint-Aignan, France), F.M. Ahmed (Birmingham, UK and Benghazi, Lybia), D.S. Edgley (Birmingham and Southport, UK), I.R. Harris (Birmingham, UK), J. Teillet (Mont Saint-Aignan, France)

Microstructural and thermal investigations of iron–silicon nanocomposite materials synthesised by rod milling 285
M. Abdellaoui (Tunis, Tunisia)

Synthesis by mechanical alloying and thermoelectric properties of Cu_2Te 293
K. Sridhar, K. Chattopadhyay (Bangalore, India)

Effects of microencapsulation on the electrode behavior of Mg_2Ni-based hydrogen storage alloy in alkaline solution 299
J.L. Luo, N. Cui (Alberta, Canada)

Activation behavior of $Zr_{0.7}Ti_{0.3}Cr_{0.3}Mn_{0.3}V_{0.4}Ni$ alloy electrode modified by the hot-charging treatment 306
J.-H. Jung, B.-H. Liu, J.-Y. Lee (Taejon, South Korea)

Author Index of Volume 264 311

Subject Index of Volume 264 313